Care of the Critically III Adult (02 24143)



[1]

Adam, S.K. et al. 2010. Rapid assessment of the acutely ill patient. Wiley-Blackwell.

[2]

Adam, S.K. and Osborne, S. 2009. Oxford Handbook of Critical Care Nursing. Oxford University Press.

[3]

Adams, J.A. et al. 2014. Nursing strategies to support family members of ICU patients at high risk of dying. Heart & Lung: The Journal of Acute and Critical Care. 43, 5 (Sep. 2014), 406–415. DOI:https://doi.org/10.1016/j.hrtlng.2014.02.001.

[4]

Aitken, L.M. et al. 2011. Nursing considerations to complement the Surviving Sepsis Campaign guidelines. Critical Care Medicine. 39, 7 (Jul. 2011), 1800–1818. DOI:https://doi.org/10.1097/CCM.0b013e31821867cc.

[5]

Andrews, P.J.D. et al. 2008. NICEM consensus on neurological monitoring in acute neurological disease. Intensive Care Medicine. 34, 8 (Aug. 2008), 1362–1370. DOI:https://doi.org/10.1007/s00134-008-1103-y.

[6]

Arntz, H.-R. et al. 2010. European Resuscitation Council Guidelines for Resuscitation 2010 Section 5. Initial management of acute coronary syndromes. Resuscitation. 81, 10 (Oct. 2010), 1353–1363. DOI:https://doi.org/10.1016/j.resuscitation.2010.08.016.

[7]

Authors/Task Force Members 2008. Management of acute myocardial infarction in patients presenting with persistent ST-segment elevation. European Heart Journal. 29, 23 (2008), 2909–2945.

[8]

Avery, Graham, MA, BSc, RN, DipN, PGCE Advance decisions to refuse treatment: a prescribing dilemma. Practice Nurse. 39, 8, 29–31.

[9]

Bateson, M. and Patton, A. 2015. Sepsis: contemporary issues and implications for nursing. British Journal of Nursing. 24, 17 (Sep. 2015), 864–866. DOI:https://doi.org/10.12968/bjon.2015.24.17.864.

[10]

Bayer, O. et al. 2012. Effects of fluid resuscitation with synthetic colloids or crystalloids alone on shock reversal, fluid balance, and patient outcomes in patients with severe sepsis. Critical Care Medicine. 40, 9 (Sep. 2012), 2543–2551. DOI:https://doi.org/10.1097/CCM.0b013e318258fee7.

[11]

Bethel, James Anaphylaxis: diagnosis and treatment. Nursing Standard (through 2013). 27, 41, 49–56.

[12]

Bethel, James Emergency care of children and adults with head injury. Nursing Standard (through 2013). 26, 43, 49–56.

[13]

Bethel, Jim TENSION PNEUMOTHORAX. Emergency Nurse (through 2013). 16, 4, 26-9.

[14]

Bethel, JimMcInulty, Lorna Subarachnoid haemorrhage: case study and literature review. Emergency Nurse (through 2013). 18, 1, 22–6.

[15]

Bird, JamesFaulkner, MarkFernandes, Tanya Emergency care and management of patients with stab wounds. Nursing Standard (through 2013). 23, 21, 51–7.

[16]

Black, P. et al. 2011. The effect of nurse-facilitated family participation in the psychological care of the critically ill patient. Journal of Advanced Nursing. 67, 5 (May 2011), 1091–1101. DOI:https://doi.org/10.1111/j.1365-2648.2010.05558.x.

[17]

Booker, R (2010) Managing severe COPD with frequent exacerbations. Practice Nurse. 39 (4) 13 - 19:

https://search.proquest.com/docview/230459651/fulltextPDF/B728A7C5D5F444F4PQ/1?accountid=8630.

[18]

Boot, R. 2012. Delirium: A review of the nurses role in the intensive care unit. Intensive and Critical Care Nursing. 28, 3 (Jun. 2012), 185–189. DOI:https://doi.org/10.1016/j.iccn.2011.11.004.

[19]

Bostock-Cox, B (2014) COPD; treatment and prevention of acute exacerbations. Practice Nurse. 44 (10) 20 - 24:

http://web.a.ebscohost.com/ehost/detail/detail?vid=1&sid=e01dc6a3-418c-492c-a4fa-6f2583417228%40sessionmgr4008&bdata=JnNpdGU9ZWhvc3QtbGl2ZQ%3d%3d#AN=99281218&db=buh.

[20]

Briggs, Deborah Nursing care and management of patients with intrapleural drains. Nursing Standard (through 2013). 24, 21, 47–55.

[21]

British Medical Association, 2007, Withdrawing or withholding life prolonging treatment: http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1116062/.

[22]

British Thoracic Society (2017) Guideline for Oxygen use in adults in healthcare and emergency settings:

https://www.brit-thoracic.org.uk/standards-of-care/guidelines/bts-guideline-for-emergency-oxygen-use-in-adult-patients/.

[23]

Brousil, J. et al. 2015. (ii) Resuscitation of the adult trauma victim. Orthopaedics and Trauma. 29, 6 (Dec. 2015), 350–358. DOI:https://doi.org/10.1016/j.mporth.2015.09.005.

[24]

Buckley, P. and Andrews, T. 2011. Intensive care nurses' knowledge of critical care family needs. Intensive and Critical Care Nursing. 27, 5 (Oct. 2011), 263–272. DOI:https://doi.org/10.1016/j.iccn.2011.07.001.

[25]

Butcher, MartynSwales, Beverley Assessment and management of patients with burns. Nursing Standard (through 2013). 27, 2, 50–5.

[26]

Cantlay, K.L. 2015. Long-term consequences of critical illness. Surgery (Oxford). 33, 4 (Apr. 2015), 186–189. DOI:https://doi.org/10.1016/j.mpsur.2015.01.007.

[27]

Caton-Richards, Michelle Assessing the neurological status of patients with head injuries. Emergency Nurse (through 2013). 17, 10, 28–31.

[28]

Chibbaro, S. and Tacconi, L. 2007. Role of decompressive craniectomy in the management of severe head injury with refractory cerebral edema and intractable intracranial pressure. Our experience with 48 cases. Surgical Neurology. 68, 6 (Dec. 2007), 632–638. DOI:https://doi.org/10.1016/j.surneu.2006.12.046.

[29]

Christa A Schorr 2014. Severe sepsis and septic shock: Management and performance improvement. Virulence. 5, 1 (2014). DOI:https://doi.org/doi: 10.4161/viru.27409.

[30]

Cole, E. and Cole, E. 2009. Trauma care: initial assessment and management in the emergency department. Wiley-Blackwell Pub.

[31]

Cottell, P (2007) A reflection on objective structured clinical examinations (OSCE's) Primary Health Care. 17 (10) 22 - 23: https://search.proquest.com/docview/217847089/fulltextPDF/8C438A31D027401APQ/1?ac countid=8630.

[32]

Credland, Nicola Non-invasive ventilation in COPD exacerbations. Nursing Times. 109, 36.

[33]

Crouch OBE, R. et al. eds. 2009. Oxford Handbook of Emergency Nursing. Oxford University Press.

[34]

Curtis, J RandallVincent, Jean-Louis Ethics and end-of-life care for adults in the intensive care unit. The Lancet. 376, 9749, 1347–53.

[35]

Cutler, L.R. et al. 2013. A critical review and synthesis of qualitative research on patient experiences of critical illness. Intensive and Critical Care Nursing. 29, 3 (Jun. 2013), 147–157. DOI:https://doi.org/10.1016/j.iccn.2012.12.001.

[36]

Cutler, L.R. and Cutler, J.M. 2010. Critical care nursing made incredibly easy!. Lippincott Williams and Wilkins.

[37]

Dawes, EmmaLloyd, HilaryDurham, Lesley Monitoring and recording patients' neurological observations. Nursing Standard (through 2013). 22, 10, 40–5.

[38]

Dellinger, R.P. et al. 2013. Surviving Sepsis Campaign. Critical Care Medicine. 41, 2 (Feb. 2013), 580-637. DOI:https://doi.org/10.1097/CCM.0b013e31827e83af.

[39]

Dolan, B. and Holt, L. eds. 2013. Accident & emergency: theory into practice. Baillière Tindall.

[40]

Dorothy M Wade 2012. Investigating risk factors for psychological morbidity three months after intensive care: a prospective cohort study. Critical Care. 16, 5 (2012). DOI:https://doi.org/doi: 10.1186/cc11677.

[41]

Downing, P. ed. 2009. Emergencies in Adult Nursing. Oxford University Press.

[42]

Efstathiou, N. and Walker, W. 2014. Intensive care nurses' experiences of providing end-of-life care after treatment withdrawal: a qualitative study. Journal of Clinical Nursing. 23, 21–22 (Nov. 2014), 3188–3196. DOI:https://doi.org/10.1111/jocn.12565.

[43]

Felton, Michelle Recognising signs and symptoms of patient deterioration. Emergency Nurse (through 2013). 20, 8, 23–7.

[44]

Foxall, F. and Blackburn, H. 2008. Arterial blood gas analysis: an easy learning guide. M&K Update.

[45]

Fullwood, Danielle Portal hypertension and varices in patients with liver cirrhosis. Nursing Standard (through 2013). 26, 48, 52–7.

[46]

Fullwood, DanielleJones, FionaLau-Walker, Margaret Care of patients following liver transplantation. Nursing Standard (through 2013). 25, 49, 50-6.

[47]

Garretson, SharonMalberti, Shelly Understanding hypovolaemic, cardiogenic and septic shock. Nursing Standard (through 2013). 21, 50, 46–55.

[48]

Griffith, R. 2014. Mental capacity and mental health Acts part 1: advance decisions. British

Journal of Nursing. 23, 14 (Jul. 2014), 812–813. DOI:https://doi.org/10.12968/bjon.2014.23.14.812.

[49]

Griffith, R. 2014. Mental capacity and mental health Acts part 1: advance decisions. British Journal of Nursing. 23, 14 (Jul. 2014), 812–813. DOI:https://doi.org/10.12968/bjon.2014.23.14.812.

[50]

Humphreys, M. 2011. Nursing the cardiac patient. Wiley-Blackwell.

[51]

James, J. et al. 2011. Registered nurse and health care Chaplains experiences of providing the family support person role during family witnessed resuscitation. Intensive and Critical Care Nursing. 27, 1 (Feb. 2011), 19–26. DOI:https://doi.org/10.1016/j.iccn.2010.09.001.

[52]

Jensen, Hanne IreneAmmentorp, JetteErlandsen, MogensØrding, Helle Withholding or withdrawing therapy in intensive care units: an analysis of collaboration among healthcare professionals. Intensive Care Medicine. 37, 10, 1696–705.

[53]

Jevon, P. and Ewens, B. 2012. Monitoring the critically ill patient. Wiley-Blackwell.

[54]

John W Williams, Jr 2012. Noninvasive Positive-Pressure Ventilation (NPPV) for Acute Respiratory Failure.

[55]

Jones, C. 2014. Recovery post ICU. Intensive and Critical Care Nursing. 30, 5 (Oct. 2014), 239–245. DOI:https://doi.org/10.1016/j.iccn.2014.06.001.

[56]

Jowett, N.I. and Thompson, D.R. 2007. Comprehensive coronary care. Saunders.

[57]

Kisorio, L.C. and Langley, G.C. 2016. Intensive care nurses' experiences of end-of-life care. Intensive and Critical Care Nursing. 33, (Apr. 2016), 30–38. DOI:https://doi.org/10.1016/j.iccn.2015.11.002.

[58]

Long-Sutehall, T. et al. 2011. Negotiated dying: A grounded theory of how nurses shape withdrawal of treatment in hospital critical care units. International Journal of Nursing Studies. 48, 12 (Dec. 2011), 1466–1474. DOI:https://doi.org/10.1016/j.ijnurstu.2011.06.003.

[59]

MacIntosh, M. and Moore, T. 2011. Caring for the seriously ill patient. Hodder Arnold.

[60]

Manno, E. and Manno, E.M. 2012. Emergency management in neurocritical care. Wiley-Blackwell.

[61]

Mark, N.M. et al. 2015. Global variability in withholding and withdrawal of life-sustaining treatment in the intensive care unit: a systematic review. Intensive Care Medicine. 41, 9 (Sep. 2015), 1572–1585. DOI:https://doi.org/10.1007/s00134-015-3810-5.

[62]

Marshall, Kathy Acute coronary syndrome: diagnosis, risk assessment and management. Nursing Standard (through 2013). 25, 23, 47–57.

[63]

McClelland, HeatherMoxon, Alex Early identification and treatment of sepsis. Nursing Times. 110, 4, 14–7.

[64]

Mcmahon-Parkes, K. et al. 2009. The views and preferences of resuscitated and non-resuscitated patients towards family-witnessed resuscitation: A qualitative study. International Journal of Nursing Studies. 46, 2 (Feb. 2009), 220–229. DOI:https://doi.org/10.1016/j.ijnurstu.2008.08.007.

[65]

Mestecky, A.-M. and Woodward, S. 2011. Neuroscience nursing: evidence-based practice. Wiley-Blackwell.

[66]

Mobley, Melinda J.Rady, Mohamed Y.Verheijde, Joseph L.Patel, BhaveshLarson, Joel S. The relationship between moral distress and perception of futile care in the critical care unit. Intensive & Critical Care Nursing. 23, 5, 256–63.

[67]

Morrissey, M. and Collier, E. 2016. Literature review of post-traumatic stress disorder in the critical care population. Journal of Clinical Nursing. 25, 11–12 (Jun. 2016), 1501–1514. DOI:https://doi.org/10.1111/jocn.13138.

[68]

Mubashar H Khan 2014. Mechanical circulatory support in acute cardiogenic shock. F1000Prime Reports. 6, (2014). DOI:https://doi.org/doi: 10.12703/P6-91.

[69]

Murdoch, HeatherPaterson, AnnKilpatrick, Claire Minimising risk in the use of central lines. Nursing Times. 109, 14, 18-9.

[70]

NCEPOD - Sepsis: Just Say Sepsis! (2015): http://www.ncepod.org.uk/2015sepsis.html.

[71]

Nielsen, A.H. and Angel, S. 2016. How diaries written for critically ill influence the relatives: a systematic review of the literature. Nursing in Critical Care. 21, 2 (Mar. 2016), 88–96. DOI:https://doi.org/10.1111/nicc.12158.

[72]

Noome, M. et al. 2016. Exploring family experiences of nursing aspects of end-of-life care in the ICU: A qualitative study. Intensive and Critical Care Nursing. 33, (Apr. 2016), 56–64. DOI:https://doi.org/10.1016/j.iccn.2015.12.004.

[73]

Obringer, K. et al. 2012. Needs of adult family members of intensive care unit patients. Journal of Clinical Nursing. 21, 11–12 (Jun. 2012), 1651–1658. DOI:https://doi.org/10.1111/j.1365-2702.2011.03989.x.

[74]

Olausson, S. et al. 2013. A phenomenological study of experiences of being cared for in a critical care setting: The meanings of the patient room as a place of care. Intensive and Critical Care Nursing. 29, 4 (Aug. 2013), 234–243. DOI:https://doi.org/10.1016/j.iccn.2013.02.002.

[75]

Olson, K. ed. 2014. Oxford Handbook of Cardiac Nursing. Oxford University Press.

[76]

Parker, M. and Magnusson, C. 2016. Assessment of trauma patients. International Journal of Orthopaedic and Trauma Nursing. 21, (May 2016), 21–30. DOI:https://doi.org/10.1016/j.ijotn.2015.10.002.

[77]

Paul, F. and Rattray, J. 2008. Short- and long-term impact of critical illness on relatives: literature review. Journal of Advanced Nursing. 62, 3 (May 2008), 276–292. DOI:https://doi.org/10.1111/j.1365-2648.2007.04568.x.

[78]

Paw, H.G.W. and Shulman, R. 2010. Handbook of drugs in intensive care: an A-Z guide. Cambridge University Press.

[79]

Phillips, Cheryl Use of patient diaries in critical care. Nursing Standard (through 2013). 26, 11, 35-43.

[80]

Piquette, D. et al. 2009. Stressful intensive care unit medical crises: How individual responses impact on team performance*. Critical Care Medicine. 37, 4 (Apr. 2009), 1251–1255. DOI:https://doi.org/10.1097/CCM.0b013e31819c1496.

[81]

Por, J. et al. 2011. Emotional intelligence: Its relationship to stress, coping, well-being and professional performance in nursing students. Nurse Education Today. 31, 8 (Nov. 2011), 855–860. DOI:https://doi.org/10.1016/j.nedt.2010.12.023.

[82]

Ranse, K. et al. 2015. Factors influencing the provision of end-of-life care in critical care settings: development and testing of a survey instrument. Journal of Advanced Nursing. 71, 3 (Mar. 2015), 697–709. DOI:https://doi.org/10.1111/jan.12576.

[83]

Ray Higginson 2016. Airway management in the hospital environment. British Journal of Nursing. (Jan. 2016).

[84]

Rowley-Conwy, Gabby Management of burns in intensive and acute care. Nursing Standard (through 2013). 27, 45, 63–4.

[85]

Rowley-Conwy, Gabby Management of major burns in the emergency department. Nursing Standard (through 2013). 27, 33.

[86]

Sawbridge, Y. and Hewison, A. 2013. Thinking about the emotional labour of nursing – supporting nurses to care. Journal of Health Organization and Management. 27, 1 (Mar. 2013), 127–133. DOI:https://doi.org/10.1108/14777261311311834.

[87]

Scales, KatieFernandes, Tanya Central venous pressure monitoring in clinical practice. Nursing Standard (through 2013). 24, 29, 49–55.

[88]

Sen, BasMcNab, AngelaBurdess, Christopher Identifying and managing patients with acute coronary conditions. Emergency Nurse (through 2013). 17, 7, 18–23.

[89]

Singer, M. et al. 2016. The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). JAMA. 315, 8 (Feb. 2016). DOI:https://doi.org/10.1001/jama.2016.0287.

[90]

St Ledger, U. et al. 2013. Moral distress in end-of-life care in the intensive care unit. Journal of Advanced Nursing. 69, 8 (Aug. 2013), 1869–1880. DOI:https://doi.org/10.1111/jan.12053.

[91]

Stevens, Emma The Mental Capacity Act 2005: considerations for nursing practice. Nursing Standard (through 2013). 28, 2, 35–9.

[92]

Stevens, Emma The Mental Capacity Act 2005: considerations for nursing practice. Nursing Standard (through 2013). 28, 2, 35–9.

[93]

Stevens, Emma The Mental Capacity Act 2005: considerations for nursing practice. Nursing Standard (through 2013). 28, 2, 35–9.

[94]

Suadoni, Marco Tullio Raised intracranial pressure: nursing observations and interventions. Nursing Standard (through 2013). 23, 43, 35–40.

[95]

Suman Prinjha 2009. What patients think about ICU follow-up services: a qualitative study. Critical Care. 13, 2 (2009). DOI:https://doi.org/doi: 10.1186/cc7769.

[96]

Taylor, D.M. et al. 2015. (iii) Temporary skeletal stabilization in major trauma. Orthopaedics and Trauma. 29, 6 (Dec. 2015), 359–373. DOI:https://doi.org/10.1016/j.mporth.2015.10.001.

[97]

Teasdale, GrahamAllan, DouglasBrennan, PaulMcElhinney, EvelynMackinnon, Laura Forty years on: updating the Glasgow Coma Scale. Nursing Times. 110, 42, 12–16.

[98]

Tingle, J. 2014. The Mental Capacity Act 2005: riding the storm of criticism. British Journal of Nursing. 23, 15 (Aug. 2014), 864–865. DOI:https://doi.org/10.12968/bjon.2014.23.15.864.

[99]

Tingle, J. 2014. The Mental Capacity Act 2005: riding the storm of criticism. British Journal of Nursing. 23, 15 (Aug. 2014), 864–865. DOI:https://doi.org/10.12968/bjon.2014.23.15.864.

[100]

Troels Thim 2012. Initial assessment and treatment with the Airway, Breathing, Circulation, Disability, Exposure (ABCDE) approach. International Journal of General Medicine. 5, (2012). DOI:https://doi.org/doi: 10.2147/IJGM.S28478.

[101]

Troels Thim 2012. Initial assessment and treatment with the Airway, Breathing, Circulation, Disability, Exposure (ABCDE) approach. International Journal of General Medicine. 5, (2012). DOI:https://doi.org/doi: 10.2147/IJGM.S28478.

[102]

Truhlář, A. et al. 2015. European Resuscitation Council Guidelines for Resuscitation 2015. Resuscitation. 95, (Oct. 2015), 148–201. DOI:https://doi.org/10.1016/j.resuscitation.2015.07.017.

[103]

Truog, R.D. et al. 2008. Recommendations for end-of-life care in the intensive care unit: A consensus statement by the American College. Critical Care Medicine. 36, 3 (Mar. 2008), 953–963. DOI:https://doi.org/10.1097/CCM.0B013E3181659096.

[104]

Waterhouse, C. and Woodward, S. 2009. Oxford handbook of neuroscience nursing. Oxford University Press.

[105]

West, N. and Dawes, R. 2015. Trauma resuscitation and the damage control approach. Surgery (Oxford). 33, 9 (Sep. 2015), 430–436. DOI:https://doi.org/10.1016/j.mpsur.2015.07.007.

[106]

Whiteing, Nicola L Fractures: pathophysiology, treatment and nursing care. Nursing Standard (through 2013). 23, 2, 49–57.

[107]

Williams, Catherine Successful assessment and management of burn injuries. Nursing Standard (through 2013). 23, 32, 53–4.

[108]

Woodrow, P. 2012. Intensive care nursing: a framework for practice. Routledge.

[109]

Woodrow, Philip Arterial blood gas analysis. Nursing Standard (through 2013). 18, 21, 45–52.

[110]

Woodrow, PhilipDavies, Sonia An introduction to electrocardiogram interpretation: part 1. Nursing Standard (through 2013). 24, 12, 50–7.

[111]

Woodrow, PhilipDavies, Sonia An introduction to electrocardiogram interpretation: part 2. Nursing Standard (through 2013). 24, 13, 48–56.

[112]

Zetterlund, PerPlos, KaetyBergbom, IngegerdRingdal, Mona Memories from intensive care

unit persist for several years--A longitudinal prospective multi-centre study. Intensive & Critical Care Nursing. 28, 3, 159–67.

[113]

Blood products and their use in traumatic major haemorrhage.

[114]

Delirium in adults | Guidance and guidelines | NICE.

[115]

Harding, D (2014) Deconstructing the OSCE. Strategies for OSCE success. Oxford University Press.

[116]

Head injury: assessment and early management | Guidance and guidelines | NICE.

[117]

Intravenous fluid therapy in adults in hospital | Guidance and guidelines | NICE.

[118]

Major trauma: assessment and initial management | Guidance and guidelines | NICE.

[119]

Major trauma: service delivery | Guidance and guidelines | NICE.

[120]

Neurogenic Shock.

[121]

Oxygen therapy for acute myocardial infarction - Cabello - 2010 - The Cochrane Library - Wiley Online Library.

[122]

Sepsis: recognition, diagnosis and early management | Guidance and guidelines | NICE.

[123]

Sepsis: recognition, diagnosis and early management | Guidance and guidelines | NICE.