

Care of the Critically Ill Adult (02 24143)

[View Online](#)

[1]

Adam, S.K. et al. 2010. Rapid assessment of the acutely ill patient. Wiley-Blackwell.

[2]

Adam, S.K. and Osborne, S. 2009. Oxford Handbook of Critical Care Nursing. Oxford University Press.

[3]

Adams, J.A. et al. 2014. Nursing strategies to support family members of ICU patients at high risk of dying. *Heart & Lung: The Journal of Acute and Critical Care*. 43, 5 (Sep. 2014), 406–415. DOI:<https://doi.org/10.1016/j.hrtlng.2014.02.001>.

[4]

Aitken, L.M. et al. 2011. Nursing considerations to complement the Surviving Sepsis Campaign guidelines. *Critical Care Medicine*. 39, 7 (Jul. 2011), 1800–1818. DOI:<https://doi.org/10.1097/CCM.0b013e31821867cc>.

[5]

Andrews, P.J.D. et al. 2008. NICEM consensus on neurological monitoring in acute neurological disease. *Intensive Care Medicine*. 34, 8 (Aug. 2008), 1362–1370. DOI:<https://doi.org/10.1007/s00134-008-1103-y>.

[6]

Arntz, H.-R. et al. 2010. European Resuscitation Council Guidelines for Resuscitation 2010 Section 5. Initial management of acute coronary syndromes. *Resuscitation*. 81, 10 (Oct. 2010), 1353–1363. DOI:<https://doi.org/10.1016/j.resuscitation.2010.08.016>.

[7]

Authors/Task Force Members 2008. Management of acute myocardial infarction in patients presenting with persistent ST-segment elevation. *European Heart Journal*. 29, 23 (2008), 2909–2945.

[8]

Avery, Graham, MA, BSc, RN, DipN, PGCE Advance decisions to refuse treatment: a prescribing dilemma. *Practice Nurse*. 39, 8, 29–31.

[9]

Bateson, M. and Patton, A. 2015. Sepsis: contemporary issues and implications for nursing. *British Journal of Nursing*. 24, 17 (Sep. 2015), 864–866. DOI:<https://doi.org/10.12968/bjon.2015.24.17.864>.

[10]

Bayer, O. et al. 2012. Effects of fluid resuscitation with synthetic colloids or crystalloids alone on shock reversal, fluid balance, and patient outcomes in patients with severe sepsis. *Critical Care Medicine*. 40, 9 (Sep. 2012), 2543–2551. DOI:<https://doi.org/10.1097/CCM.0b013e318258fee7>.

[11]

Bethel, James Anaphylaxis: diagnosis and treatment. *Nursing Standard* (through 2013). 27, 41, 49–56.

[12]

Bethel, James Emergency care of children and adults with head injury. *Nursing Standard* (through 2013). 26, 43, 49–56.

[13]

Bethel, Jim TENSION PNEUMOTHORAX. *Emergency Nurse* (through 2013). 16, 4, 26–9.

[14]

Bethel, JimMcInulty, Lorna Subarachnoid haemorrhage: case study and literature review. *Emergency Nurse* (through 2013). 18, 1, 22–6.

[15]

Bird, JamesFaulkner, MarkFernandes, Tanya Emergency care and management of patients with stab wounds. *Nursing Standard* (through 2013). 23, 21, 51–7.

[16]

Black, P. et al. 2011. The effect of nurse-facilitated family participation in the psychological care of the critically ill patient. *Journal of Advanced Nursing*. 67, 5 (May 2011), 1091–1101. DOI:<https://doi.org/10.1111/j.1365-2648.2010.05558.x>.

[17]

Booker, R (2010) Managing severe COPD with frequent exacerbations. *Practice Nurse*. 39 (4) 13 - 19:
<https://search.proquest.com/docview/230459651/fulltextPDF/B728A7C5D5F444F4PQ/1?accountid=8630>.

[18]

Boot, R. 2012. Delirium: A review of the nurses role in the intensive care unit. *Intensive and Critical Care Nursing*. 28, 3 (Jun. 2012), 185–189. DOI:<https://doi.org/10.1016/j.iccn.2011.11.004>.

[19]

Bostock-Cox, B (2014) COPD; treatment and prevention of acute exacerbations. *Practice Nurse*. 44 (10) 20 - 24:
<http://web.a.ebscohost.com/ehost/detail/detail?vid=1&sid=e01dc6a3-418c-492c-a4fa-6f2583417228%40sessionmgr4008&bdata=JnNpdGU9ZWwhvc3QtbGl2ZQ%3d%3d#AN=99281218&db=buh>.

[20]

Briggs, Deborah Nursing care and management of patients with intrapleural drains. Nursing Standard (through 2013). 24, 21, 47-55.

[21]

British Medical Association, 2007, Withdrawing or withholding life prolonging treatment: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1116062/>.

[22]

British Thoracic Society (2017) Guideline for Oxygen use in adults in healthcare and emergency settings: <https://www.brit-thoracic.org.uk/standards-of-care/guidelines/bts-guideline-for-emergency-oxygen-use-in-adult-patients/>.

[23]

Brousil, J. et al. 2015. (ii) Resuscitation of the adult trauma victim. Orthopaedics and Trauma. 29, 6 (Dec. 2015), 350-358. DOI:<https://doi.org/10.1016/j.mporth.2015.09.005>.

[24]

Buckley, P. and Andrews, T. 2011. Intensive care nurses' knowledge of critical care family needs. Intensive and Critical Care Nursing. 27, 5 (Oct. 2011), 263-272. DOI:<https://doi.org/10.1016/j.iccn.2011.07.001>.

[25]

Butcher, MartynSwales, Beverley Assessment and management of patients with burns. Nursing Standard (through 2013). 27, 2, 50-5.

[26]

Cantlay, K.L. 2015. Long-term consequences of critical illness. Surgery (Oxford). 33, 4 (Apr. 2015), 186-189. DOI:<https://doi.org/10.1016/j.mpsur.2015.01.007>.

[27]

Caton-Richards, Michelle Assessing the neurological status of patients with head injuries. *Emergency Nurse* (through 2013). 17, 10, 28–31.

[28]

Chibbaro, S. and Tacconi, L. 2007. Role of decompressive craniectomy in the management of severe head injury with refractory cerebral edema and intractable intracranial pressure. Our experience with 48 cases. *Surgical Neurology*. 68, 6 (Dec. 2007), 632–638.
DOI:<https://doi.org/10.1016/j.surneu.2006.12.046>.

[29]

Christa A Schorr 2014. Severe sepsis and septic shock: Management and performance improvement. *Virulence*. 5, 1 (2014). DOI:<https://doi.org/doi:10.4161/viru.27409>.

[30]

Cole, E. and Cole, E. 2009. Trauma care: initial assessment and management in the emergency department. Wiley-Blackwell Pub.

[31]

Cottell, P (2007) A reflection on objective structured clinical examinations (OSCE's) *Primary Health Care*. 17 (10) 22 - 23:
<https://search.proquest.com/docview/217847089/fulltextPDF/8C438A31D027401APQ/1?accountid=8630>.

[32]

Credland, Nicola Non-invasive ventilation in COPD exacerbations. *Nursing Times*. 109, 36.

[33]

Crouch OBE, R. et al. eds. 2009. Oxford Handbook of Emergency Nursing. Oxford University Press.

[34]

Curtis, J Randall Vincent, Jean-Louis Ethics and end-of-life care for adults in the intensive care unit. *The Lancet*. 376, 9749, 1347–53.

[35]

Cutler, L.R. et al. 2013. A critical review and synthesis of qualitative research on patient experiences of critical illness. *Intensive and Critical Care Nursing*. 29, 3 (Jun. 2013), 147–157. DOI:<https://doi.org/10.1016/j.iccn.2012.12.001>.

[36]

Cutler, L.R. and Cutler, J.M. 2010. *Critical care nursing made incredibly easy!*. Lippincott Williams and Wilkins.

[37]

Dawes, Emma Lloyd, Hilary Durham, Lesley Monitoring and recording patients' neurological observations. *Nursing Standard* (through 2013). 22, 10, 40–5.

[38]

Dellinger, R.P. et al. 2013. Surviving Sepsis Campaign. *Critical Care Medicine*. 41, 2 (Feb. 2013), 580–637. DOI:<https://doi.org/10.1097/CCM.0b013e31827e83af>.

[39]

Dolan, B. and Holt, L. eds. 2013. *Accident & emergency: theory into practice*. Baillière Tindall.

[40]

Dorothy M Wade 2012. Investigating risk factors for psychological morbidity three months after intensive care: a prospective cohort study. *Critical Care*. 16, 5 (2012). DOI:<https://doi.org/doi:10.1186/cc11677>.

[41]

Downing, P. ed. 2009. *Emergencies in Adult Nursing*. Oxford University Press.

[42]

Efstathiou, N. and Walker, W. 2014. Intensive care nurses' experiences of providing end-of-life care after treatment withdrawal: a qualitative study. *Journal of Clinical Nursing*. 23, 21–22 (Nov. 2014), 3188–3196. DOI:<https://doi.org/10.1111/jocn.12565>.

[43]

Felton, Michelle Recognising signs and symptoms of patient deterioration. *Emergency Nurse* (through 2013). 20, 8, 23–7.

[44]

Foxall, F. and Blackburn, H. 2008. *Arterial blood gas analysis: an easy learning guide*. M&K Update.

[45]

Fullwood, Danielle Portal hypertension and varices in patients with liver cirrhosis. *Nursing Standard* (through 2013). 26, 48, 52–7.

[46]

Fullwood, Danielle Jones, Fiona Lau-Walker, Margaret Care of patients following liver transplantation. *Nursing Standard* (through 2013). 25, 49, 50–6.

[47]

Garretson, Sharon Malberti, Shelly Understanding hypovolaemic, cardiogenic and septic shock. *Nursing Standard* (through 2013). 21, 50, 46–55.

[48]

Griffith, R. 2014. *Mental capacity and mental health Acts part 1: advance decisions*. British

Journal of Nursing. 23, 14 (Jul. 2014), 812–813.
DOI:<https://doi.org/10.12968/bjon.2014.23.14.812>.

[49]

Griffith, R. 2014. Mental capacity and mental health Acts part 1: advance decisions. British Journal of Nursing. 23, 14 (Jul. 2014), 812–813.
DOI:<https://doi.org/10.12968/bjon.2014.23.14.812>.

[50]

Humphreys, M. 2011. Nursing the cardiac patient. Wiley-Blackwell.

[51]

James, J. et al. 2011. Registered nurse and health care Chaplains experiences of providing the family support person role during family witnessed resuscitation. Intensive and Critical Care Nursing. 27, 1 (Feb. 2011), 19–26. DOI:<https://doi.org/10.1016/j.iccn.2010.09.001>.

[52]

Jensen, Hanne Irene Ammentorp, Jette Erlandsen, Mogens Ørding, Helle Withholding or withdrawing therapy in intensive care units: an analysis of collaboration among healthcare professionals. Intensive Care Medicine. 37, 10, 1696–705.

[53]

Jevon, P. and Ewens, B. 2012. Monitoring the critically ill patient. Wiley-Blackwell.

[54]

John W Williams, Jr 2012. Noninvasive Positive-Pressure Ventilation (NPPV) for Acute Respiratory Failure.

[55]

Jones, C. 2014. Recovery post ICU. Intensive and Critical Care Nursing. 30, 5 (Oct. 2014), 239–245. DOI:<https://doi.org/10.1016/j.iccn.2014.06.001>.

[56]

Jowett, N.I. and Thompson, D.R. 2007. Comprehensive coronary care. Saunders.

[57]

Kisorio, L.C. and Langley, G.C. 2016. Intensive care nurses' experiences of end-of-life care. *Intensive and Critical Care Nursing*. 33, (Apr. 2016), 30–38.
DOI:<https://doi.org/10.1016/j.iccn.2015.11.002>.

[58]

Long-Sutehall, T. et al. 2011. Negotiated dying: A grounded theory of how nurses shape withdrawal of treatment in hospital critical care units. *International Journal of Nursing Studies*. 48, 12 (Dec. 2011), 1466–1474.
DOI:<https://doi.org/10.1016/j.ijnurstu.2011.06.003>.

[59]

MacIntosh, M. and Moore, T. 2011. Caring for the seriously ill patient. Hodder Arnold.

[60]

Manno, E. and Manno, E.M. 2012. Emergency management in neurocritical care. Wiley-Blackwell.

[61]

Mark, N.M. et al. 2015. Global variability in withholding and withdrawal of life-sustaining treatment in the intensive care unit: a systematic review. *Intensive Care Medicine*. 41, 9 (Sep. 2015), 1572–1585. DOI:<https://doi.org/10.1007/s00134-015-3810-5>.

[62]

Marshall, Kathy Acute coronary syndrome: diagnosis, risk assessment and management. *Nursing Standard (through 2013)*. 25, 23, 47–57.

[63]

McClelland, Heather Moxon, Alex Early identification and treatment of sepsis. *Nursing Times*. 110, 4, 14–7.

[64]

Mcmahon-Parkes, K. et al. 2009. The views and preferences of resuscitated and non-resuscitated patients towards family-witnessed resuscitation: A qualitative study. *International Journal of Nursing Studies*. 46, 2 (Feb. 2009), 220–229. DOI:<https://doi.org/10.1016/j.ijnurstu.2008.08.007>.

[65]

Mestecky, A.-M. and Woodward, S. 2011. *Neuroscience nursing: evidence-based practice*. Wiley-Blackwell.

[66]

Mobley, Melinda J. Rady, Mohamed Y. Verheijde, Joseph L. Patel, Bhavesh Larson, Joel S. The relationship between moral distress and perception of futile care in the critical care unit. *Intensive & Critical Care Nursing*. 23, 5, 256–63.

[67]

Morrissey, M. and Collier, E. 2016. Literature review of post-traumatic stress disorder in the critical care population. *Journal of Clinical Nursing*. 25, 11–12 (Jun. 2016), 1501–1514. DOI:<https://doi.org/10.1111/jocn.13138>.

[68]

Mubashar H Khan 2014. Mechanical circulatory support in acute cardiogenic shock. *F1000Prime Reports*. 6, (2014). DOI:<https://doi.org/doi:10.12703/P6-91>.

[69]

Murdoch, Heather Paterson, Ann Kilpatrick, Claire Minimising risk in the use of central lines. *Nursing Times*. 109, 14, 18–9.

[70]

NCEPOD - Sepsis: Just Say Sepsis! (2015): <http://www.ncepod.org.uk/2015sepsis.html>.

[71]

Nielsen, A.H. and Angel, S. 2016. How diaries written for critically ill influence the relatives: a systematic review of the literature. *Nursing in Critical Care*. 21, 2 (Mar. 2016), 88–96.
DOI:<https://doi.org/10.1111/nicc.12158>.

[72]

Noome, M. et al. 2016. Exploring family experiences of nursing aspects of end-of-life care in the ICU: A qualitative study. *Intensive and Critical Care Nursing*. 33, (Apr. 2016), 56–64.
DOI:<https://doi.org/10.1016/j.iccn.2015.12.004>.

[73]

Obringer, K. et al. 2012. Needs of adult family members of intensive care unit patients. *Journal of Clinical Nursing*. 21, 11–12 (Jun. 2012), 1651–1658.
DOI:<https://doi.org/10.1111/j.1365-2702.2011.03989.x>.

[74]

Olausson, S. et al. 2013. A phenomenological study of experiences of being cared for in a critical care setting: The meanings of the patient room as a place of care. *Intensive and Critical Care Nursing*. 29, 4 (Aug. 2013), 234–243.
DOI:<https://doi.org/10.1016/j.iccn.2013.02.002>.

[75]

Olson, K. ed. 2014. *Oxford Handbook of Cardiac Nursing*. Oxford University Press.

[76]

Parker, M. and Magnusson, C. 2016. Assessment of trauma patients. *International Journal of Orthopaedic and Trauma Nursing*. 21, (May 2016), 21–30.
DOI:<https://doi.org/10.1016/j.ijotn.2015.10.002>.

[77]

Paul, F. and Rattray, J. 2008. Short- and long-term impact of critical illness on relatives: literature review. *Journal of Advanced Nursing*. 62, 3 (May 2008), 276–292. DOI:<https://doi.org/10.1111/j.1365-2648.2007.04568.x>.

[78]

Paw, H.G.W. and Shulman, R. 2010. *Handbook of drugs in intensive care: an A-Z guide*. Cambridge University Press.

[79]

Phillips, Cheryl Use of patient diaries in critical care. *Nursing Standard* (through 2013). 26, 11, 35–43.

[80]

Piquette, D. et al. 2009. Stressful intensive care unit medical crises: How individual responses impact on team performance*. *Critical Care Medicine*. 37, 4 (Apr. 2009), 1251–1255. DOI:<https://doi.org/10.1097/CCM.0b013e31819c1496>.

[81]

Por, J. et al. 2011. Emotional intelligence: Its relationship to stress, coping, well-being and professional performance in nursing students. *Nurse Education Today*. 31, 8 (Nov. 2011), 855–860. DOI:<https://doi.org/10.1016/j.nedt.2010.12.023>.

[82]

Ranse, K. et al. 2015. Factors influencing the provision of end-of-life care in critical care settings: development and testing of a survey instrument. *Journal of Advanced Nursing*. 71, 3 (Mar. 2015), 697–709. DOI:<https://doi.org/10.1111/jan.12576>.

[83]

Ray Higginson 2016. Airway management in the hospital environment. *British Journal of Nursing*. (Jan. 2016).

[84]

Rowley-Conwy, Gabby Management of burns in intensive and acute care. *Nursing Standard* (through 2013). 27, 45, 63-4.

[85]

Rowley-Conwy, Gabby Management of major burns in the emergency department. *Nursing Standard* (through 2013). 27, 33.

[86]

Sawbridge, Y. and Hewison, A. 2013. Thinking about the emotional labour of nursing – supporting nurses to care. *Journal of Health Organization and Management*. 27, 1 (Mar. 2013), 127-133. DOI:<https://doi.org/10.1108/14777261311311834>.

[87]

Scales, KatieFernandes, Tanya Central venous pressure monitoring in clinical practice. *Nursing Standard* (through 2013). 24, 29, 49-55.

[88]

Sen, BasMcNab, AngelaBurdess, Christopher Identifying and managing patients with acute coronary conditions. *Emergency Nurse* (through 2013). 17, 7, 18-23.

[89]

Singer, M. et al. 2016. The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *JAMA*. 315, 8 (Feb. 2016). DOI:<https://doi.org/10.1001/jama.2016.0287>.

[90]

St Ledger, U. et al. 2013. Moral distress in end-of-life care in the intensive care unit. *Journal of Advanced Nursing*. 69, 8 (Aug. 2013), 1869-1880. DOI:<https://doi.org/10.1111/jan.12053>.

[91]

Stevens, Emma The Mental Capacity Act 2005: considerations for nursing practice. *Nursing Standard* (through 2013). 28, 2, 35–9.

[92]

Stevens, Emma The Mental Capacity Act 2005: considerations for nursing practice. *Nursing Standard* (through 2013). 28, 2, 35–9.

[93]

Stevens, Emma The Mental Capacity Act 2005: considerations for nursing practice. *Nursing Standard* (through 2013). 28, 2, 35–9.

[94]

Suadoni, Marco Tullio Raised intracranial pressure: nursing observations and interventions. *Nursing Standard* (through 2013). 23, 43, 35–40.

[95]

Suman Prinjha 2009. What patients think about ICU follow-up services: a qualitative study. *Critical Care*. 13, 2 (2009). DOI:<https://doi.org/doi:10.1186/cc7769>.

[96]

Taylor, D.M. et al. 2015. (iii) Temporary skeletal stabilization in major trauma. *Orthopaedics and Trauma*. 29, 6 (Dec. 2015), 359–373. DOI:<https://doi.org/10.1016/j.mporth.2015.10.001>.

[97]

Teasdale, GrahamAllan, DouglasBrennan, PaulMcElhinney, EvelynMackinnon, Laura Forty years on: updating the Glasgow Coma Scale. *Nursing Times*. 110, 42, 12–16.

[98]

Tingle, J. 2014. The Mental Capacity Act 2005: riding the storm of criticism. *British Journal of Nursing*. 23, 15 (Aug. 2014), 864–865.
DOI:<https://doi.org/10.12968/bjon.2014.23.15.864>.

[99]

Tingle, J. 2014. The Mental Capacity Act 2005: riding the storm of criticism. *British Journal of Nursing*. 23, 15 (Aug. 2014), 864–865.
DOI:<https://doi.org/10.12968/bjon.2014.23.15.864>.

[100]

Troels Thim 2012. Initial assessment and treatment with the Airway, Breathing, Circulation, Disability, Exposure (ABCDE) approach. *International Journal of General Medicine*. 5, (2012). DOI:<https://doi.org/doi:10.2147/IJGM.S28478>.

[101]

Troels Thim 2012. Initial assessment and treatment with the Airway, Breathing, Circulation, Disability, Exposure (ABCDE) approach. *International Journal of General Medicine*. 5, (2012). DOI:<https://doi.org/doi:10.2147/IJGM.S28478>.

[102]

Truhlář, A. et al. 2015. European Resuscitation Council Guidelines for Resuscitation 2015. *Resuscitation*. 95, (Oct. 2015), 148–201.
DOI:<https://doi.org/10.1016/j.resuscitation.2015.07.017>.

[103]

Truog, R.D. et al. 2008. Recommendations for end-of-life care in the intensive care unit: A consensus statement by the American College. *Critical Care Medicine*. 36, 3 (Mar. 2008), 953–963. DOI:<https://doi.org/10.1097/CCM.0B013E3181659096>.

[104]

Waterhouse, C. and Woodward, S. 2009. *Oxford handbook of neuroscience nursing*. Oxford University Press.

[105]

West, N. and Dawes, R. 2015. Trauma resuscitation and the damage control approach. *Surgery (Oxford)*. 33, 9 (Sep. 2015), 430–436.
DOI:<https://doi.org/10.1016/j.mpsur.2015.07.007>.

[106]

Whiteing, Nicola L Fractures: pathophysiology, treatment and nursing care. *Nursing Standard (through 2013)*. 23, 2, 49–57.

[107]

Williams, Catherine Successful assessment and management of burn injuries. *Nursing Standard (through 2013)*. 23, 32, 53–4.

[108]

Woodrow, P. 2012. *Intensive care nursing: a framework for practice*. Routledge.

[109]

Woodrow, Philip Arterial blood gas analysis. *Nursing Standard (through 2013)*. 18, 21, 45–52.

[110]

Woodrow, Philip Davies, Sonia An introduction to electrocardiogram interpretation: part 1. *Nursing Standard (through 2013)*. 24, 12, 50–7.

[111]

Woodrow, Philip Davies, Sonia An introduction to electrocardiogram interpretation: part 2. *Nursing Standard (through 2013)*. 24, 13, 48–56.

[112]

Zetterlund, Per Plos, Kaety Bergbom, Ingegerd Ringdal, Mona Memories from intensive care

unit persist for several years--A longitudinal prospective multi-centre study. *Intensive & Critical Care Nursing*. 28, 3, 159–67.

[113]

Blood products and their use in traumatic major haemorrhage.

[114]

Delirium in adults | Guidance and guidelines | NICE.

[115]

Harding, D (2014) *Deconstructing the OSCE. Strategies for OSCE success*. Oxford University Press.

[116]

Head injury: assessment and early management | Guidance and guidelines | NICE.

[117]

Intravenous fluid therapy in adults in hospital | Guidance and guidelines | NICE.

[118]

Major trauma: assessment and initial management | Guidance and guidelines | NICE.

[119]

Major trauma: service delivery | Guidance and guidelines | NICE.

[120]

Neurogenic Shock.

[121]

Oxygen therapy for acute myocardial infarction - Cabello - 2010 - The Cochrane Library - Wiley Online Library.

[122]

Sepsis: recognition, diagnosis and early management | Guidance and guidelines | NICE.

[123]

Sepsis: recognition, diagnosis and early management | Guidance and guidelines | NICE.