

Care of the Critically Ill Adult (02 24143)

View Online



[1]

S. K. Adam, J. Welch, and M. Odell, *Rapid assessment of the acutely ill patient*. Chichester: Wiley-Blackwell, 2010 [Online]. Available: <https://ebookcentral.proquest.com/lib/bham/detail.action?docID=470156>

[2]

Felton, Michelle, 'Recognising signs and symptoms of patient deterioration', *Emergency Nurse* (through 2013), vol. 20, no. 8, pp. 23–7 [Online]. Available: <http://search.proquest.com/docview/1240345001?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[3]

Troels Thim, 'Initial assessment and treatment with the Airway, Breathing, Circulation, Disability, Exposure (ABCDE) approach', *International Journal of General Medicine*, vol. 5, 2012, doi: doi: 10.2147/IJGM.S28478. [Online]. Available: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3273374/>

[4]

'British Medical Association, 2007, *Withdrawing or withholding life prolonging treatment*'. [Online]. Available: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1116062/>

[5]

K. Ranse, P. Yates, and F. Coyer, 'Factors influencing the provision of end-of-life care in critical care settings: development and testing of a survey instrument', *Journal of Advanced Nursing*, vol. 71, no. 3, pp. 697–709, Mar. 2015, doi: 10.1111/jan.12576.

[6]

N. M. Mark, S. G. Rayner, N. J. Lee, and J. R. Curtis, 'Global variability in withholding and withdrawal of life-sustaining treatment in the intensive care unit: a systematic review', *Intensive Care Medicine*, vol. 41, no. 9, pp. 1572–1585, Sep. 2015, doi: 10.1007/s00134-015-3810-5.

[7]

J. A. Adams, R. A. Anderson, S. L. Docherty, J. A. Tulskey, K. E. Steinhauser, and D. E. Bailey, 'Nursing strategies to support family members of ICU patients at high risk of dying', *Heart & Lung: The Journal of Acute and Critical Care*, vol. 43, no. 5, pp. 406–415, Sep. 2014, doi: 10.1016/j.hrtlng.2014.02.001.

[8]

N. Efstathiou and W. Walker, 'Intensive care nurses' experiences of providing end-of-life care after treatment withdrawal: a qualitative study', *Journal of Clinical Nursing*, vol. 23, no. 21–22, pp. 3188–3196, Nov. 2014, doi: 10.1111/jocn.12565.

[9]

L. C. Kisorio and G. C. Langley, 'Intensive care nurses' experiences of end-of-life care', *Intensive and Critical Care Nursing*, vol. 33, pp. 30–38, Apr. 2016, doi: 10.1016/j.iccn.2015.11.002.

[10]

J. Tingle, 'The Mental Capacity Act 2005: riding the storm of criticism', *British Journal of Nursing*, vol. 23, no. 15, pp. 864–865, Aug. 2014, doi: 10.12968/bjon.2014.23.15.864.

[11]

Stevens, Emma, 'The Mental Capacity Act 2005: considerations for nursing practice', *Nursing Standard (through 2013)*, vol. 28, no. 2, pp. 35–9 [Online]. Available: <http://search.proquest.com/docview/1441293844?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[12]

R. Griffith, 'Mental capacity and mental health Acts part 1: advance decisions', *British Journal of Nursing*, vol. 23, no. 14, pp. 812–813, Jul. 2014, doi: 10.12968/bjon.2014.23.14.812.

[13]

M. Noome, B. M. Dijkstra, E. van Leeuwen, and L. C. M. Vloet, 'Exploring family experiences of nursing aspects of end-of-life care in the ICU: A qualitative study', *Intensive and Critical Care Nursing*, vol. 33, pp. 56–64, Apr. 2016, doi: 10.1016/j.iccn.2015.12.004.

[14]

Avery, Graham, MA, BSc, RN, DipN, PGCE, 'Advance decisions to refuse treatment: a prescribing dilemma', *Practice Nurse*, vol. 39, no. 8, pp. 29–31 [Online]. Available: <http://search.proquest.com/docview/347582117?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[15]

Curtis, J RandallVincent, Jean-Louis, 'Ethics and end-of-life care for adults in the intensive care unit', *The Lancet*, vol. 376, no. 9749, pp. 1347–53 [Online]. Available: <http://search.proquest.com/docview/759006719?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[16]

Jensen, Hanne IreneAmmentorp, JetteErlandsen, MogensØrding, Helle, 'Withholding or withdrawing therapy in intensive care units: an analysis of collaboration among healthcare professionals', *Intensive Care Medicine*, vol. 37, no. 10, pp. 1696–705 [Online]. Available: <http://search.proquest.com/docview/893391732?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[17]

T. Long-Sutehall, H. Willis, R. Palmer, D. Ugboma, J. Addington-Hall, and M. Coombs, 'Negotiated dying: A grounded theory of how nurses shape withdrawal of treatment in hospital critical care units', *International Journal of Nursing Studies*, vol. 48, no. 12, pp. 1466–1474, Dec. 2011, doi: 10.1016/j.ijnurstu.2011.06.003.

[18]

Mobley, Melinda J.Rady, Mohamed Y.Verheijde, Joseph L.Patel, BhaveshLarson, Joel S., 'The relationship between moral distress and perception of futile care in the critical care unit', *Intensive & Critical Care Nursing*, vol. 23, no. 5, pp. 256–63 [Online]. Available: <http://search.proquest.com/docview/1034902481?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[19]

D. Piquette, S. Reeves, and V. R. LeBlanc, 'Stressful intensive care unit medical crises: How individual responses impact on team performance*', *Critical Care Medicine*, vol. 37, no. 4, pp. 1251–1255, Apr. 2009, doi: 10.1097/CCM.0b013e31819c1496.

[20]

U. St Ledger, A. Begley, J. Reid, L. Prior, D. McAuley, and B. Blackwood, 'Moral distress in end-of-life care in the intensive care unit', *Journal of Advanced Nursing*, vol. 69, no. 8, pp. 1869–1880, Aug. 2013, doi: 10.1111/jan.12053.

[21]

R. D. Truog et al., 'Recommendations for end-of-life care in the intensive care unit: A consensus statement by the American College', *Critical Care Medicine*, vol. 36, no. 3, pp. 953–963, Mar. 2008, doi: 10.1097/CCM.0B013E3181659096.

[22]

Rowley-Conwy, Gabby, 'Management of burns in intensive and acute care', *Nursing Standard (through 2013)*, vol. 27, no. 45, pp. 63–4 [Online]. Available: <http://search.proquest.com/docview/1413087429/fulltextPDF/AA8C62B467E6445EPQ/1?accountid=8630>

[23]

Butcher, MartynSwales, Beverley, 'Assessment and management of patients with burns', *Nursing Standard (through 2013)*, vol. 27, no. 2, pp. 50–5 [Online]. Available: <http://search.proquest.com/docview/1041248402/fulltext/903233F50BB84655PQ/1?accountid=8630>

[24]

Rowley-Conwy, Gabby, 'Management of major burns in the emergency department', *Nursing Standard* (through 2013), vol. 27, no. 33 [Online]. Available: <http://search.proquest.com/docview/1348763582/fulltextPDF/2D5407AEF963433APQ/1?accountid=8630>

[25]

Williams, Catherine, 'Successful assessment and management of burn injuries', *Nursing Standard* (through 2013), vol. 23, no. 32, pp. 53-4 [Online]. Available: <http://search.proquest.com/docview/219858823/fulltextPDF/B294F38940E846BAPQ/1?accountid=8630>

[26]

N. I. Jowett and D. R. Thompson, *Comprehensive coronary care*, 4th ed. Edinburgh: Saunders, 2007.

[27]

M. Humphreys, *Nursing the cardiac patient*, vol. Essential clinical skills for nurses. Oxford: Wiley-Blackwell, 2011.

[28]

K. Olson, Ed., *Oxford Handbook of Cardiac Nursing*. Oxford University Press, 2014 [Online]. Available: <http://www.oxfordmedicine.com/view/10.1093/med/9780199651344.001.0001/med-9780199651344>

[29]

Mubashar H Khan, 'Mechanical circulatory support in acute cardiogenic shock', *F1000Prime Reports*, vol. 6, 2014, doi: doi: 10.12703/P6-91. [Online]. Available: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4191250/>

[30]

H.-R. Arntz, L. L. Bossaert, N. Danchin, and N. I. Nikolaou, 'European Resuscitation Council

Guidelines for Resuscitation 2010 Section 5. Initial management of acute coronary syndromes', *Resuscitation*, vol. 81, no. 10, pp. 1353–1363, Oct. 2010, doi: 10.1016/j.resuscitation.2010.08.016.

[31]

'Oxygen therapy for acute myocardial infarction - Cabello - 2010 - The Cochrane Library - Wiley Online Library' [Online]. Available: <http://onlinelibrary.wiley.com/doi/10.1002/14651858.CD007160.pub2/abstract;jsessionid=1B691BC07827DDF09149D36D81B3613C.f02t03>

[32]

Marshall, Kathy, 'Acute coronary syndrome: diagnosis, risk assessment and management', *Nursing Standard* (through 2013), vol. 25, no. 23, pp. 47–57 [Online]. Available: <http://search.proquest.com/docview/851577836?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[33]

Sen, BasMcNab, AngelaBurdess, Christopher, 'Identifying and managing patients with acute coronary conditions', *Emergency Nurse* (through 2013), vol. 17, no. 7, pp. 18–23 [Online]. Available: <http://search.proquest.com/docview/218275600?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[34]

Authors/Task Force Members, 'Management of acute myocardial infarction in patients presenting with persistent ST-segment elevation', *European Heart Journal*, vol. 29, no. 23, pp. 2909–2945, 2008 [Online]. Available: <http://eurheartj.oxfordjournals.org/content/29/23/2909>

[35]

Woodrow, PhilipDavies, Sonia, 'An introduction to electrocardiogram interpretation: part 1', *Nursing Standard* (through 2013), vol. 24, no. 12, pp. 50–7 [Online]. Available: http://search.proquest.com/docview/219852283?accountid=8630&rfr_id=info%3Axri%2Fsid%3Aprimo

[36]

Woodrow, PhilipDavies, Sonia, 'An introduction to electrocardiogram interpretation: part 2', *Nursing Standard* (through 2013), vol. 24, no. 13, pp. 48-56 [Online]. Available: http://search.proquest.com/docview/219893367?accountid=8630&rfr_id=info%3Axri%2Fsid%3Aprimo

[37]

Scales, KatieFernandes, Tanya, 'Central venous pressure monitoring in clinical practice', *Nursing Standard* (through 2013), vol. 24, no. 29, pp. 49-55 [Online]. Available: <http://search.proquest.com/docview/219842582/fulltextPDF/BFADAE292DA242C9PQ/1?accountid=8630>

[38]

Murdoch, HeatherPaterson, AnnKilpatrick, Claire, 'Minimising risk in the use of central lines', *Nursing Times*, vol. 109, no. 14, pp. 18-9 [Online]. Available: <http://search.proquest.com/docview/1346534151/fulltextPDF/E54A4AC3A8364C22PQ/1?accountid=8630>

[39]

M. MacIntosh and T. Moore, *Caring for the seriously ill patient*, 2nd ed. London: Hodder Arnold, 2011.

[40]

L. R. Cutler and J. M. Cutler, *Critical care nursing made incredibly easy!*, UK ed. Philadelphia, Pa: Lippincott Williams and Wilkins, 2010.

[41]

H. G. W. Paw and R. Shulman, *Handbook of drugs in intensive care: an A-Z guide*, 4th ed. Cambridge: Cambridge University Press, 2010.

[42]

P. Woodrow, *Intensive care nursing: a framework for practice*, 3rd ed. New York, N.Y.: Routledge, 2012.

[43]

P. Jevon and B. Ewens, *Monitoring the critically ill patient*, 3rd ed., vol. *Essential clinical skills for nurses*. Chichester: Wiley-Blackwell, 2012.

[44]

S. K. Adam and S. Osborne, *Oxford Handbook of Critical Care Nursing*. Oxford University Press, 2009 [Online]. Available:
<http://oxfordmedicine.com/view/10.1093/med/9780199215904.001.1/med-9780199215904>

[45]

B. Dolan and L. Holt, Eds., *Accident & emergency: theory into practice*, Third edition. London: Baillière Tindall, 2013.

[46]

P. Downing, Ed., *Emergencies in Adult Nursing*. Oxford University Press, 2009 [Online]. Available:
<http://oxfordmedicine.com/view/10.1093/med/9780199226573.001.0001/med-9780199226573>

[47]

R. Crouch OBE, A. Charters, M. Dawood, and P. Bennett, Eds., *Oxford Handbook of Emergency Nursing*. Oxford University Press, 2009 [Online]. Available:
<http://oxfordmedicine.com/view/10.1093/med/9780199203499.001.0001/med-9780199203499>

[48]

Bethel, James, 'Emergency care of children and adults with head injury', *Nursing Standard* (through 2013), vol. 26, no. 43, pp. 49-56 [Online]. Available:
<http://search.proquest.com/docview/1023016386/fulltext/398E94E630D0434BPQ/1?accountid=8630>

[49]

Bird, JamesFaulkner, MarkFernandes, Tanya, 'Emergency care and management of patients with stab wounds', *Nursing Standard* (through 2013), vol. 23, no. 21, pp. 51–7 [Online]. Available: <http://search.proquest.com/docview/219882511/fulltextPDF/313CB9E2BF7741E2PQ/1?accountid=8630>

[50]

Caton-Richards, Michelle, 'Assessing the neurological status of patients with head injuries', *Emergency Nurse* (through 2013), vol. 17, no. 10, pp. 28–31 [Online]. Available: <http://search.proquest.com/docview/218302759?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[51]

Whiteing, Nicola L, 'Fractures: pathophysiology, treatment and nursing care', *Nursing Standard* (through 2013), vol. 23, no. 2, pp. 49–57 [Online]. Available: <http://search.proquest.com/docview/219871581/fulltextPDF/7B47334D09454549PQ/1?accountid=8630>

[52]

J. Por, L. Barriball, J. Fitzpatrick, and J. Roberts, 'Emotional intelligence: Its relationship to stress, coping, well-being and professional performance in nursing students', *Nurse Education Today*, vol. 31, no. 8, pp. 855–860, Nov. 2011, doi: 10.1016/j.nedt.2010.12.023.

[53]

Y. Sawbridge and A. Hewison, 'Thinking about the emotional labour of nursing – supporting nurses to care', *Journal of Health Organization and Management*, vol. 27, no. 1, pp. 127–133, Mar. 2013, doi: 10.1108/14777261311311834.

[54]

E. Manno and E. M. Manno, *Emergency management in neurocritical care*, 4th ed. Chichester, West Sussex: Wiley-Blackwell, 2012 [Online]. Available: <https://ebookcentral.proquest.com/lib/bham/detail.action?docID=877785>

[55]

A.-M. Mestecky and S. Woodward, *Neuroscience nursing: evidence-based practice*. Oxford: Wiley-Blackwell, 2011.

[56]

C. Waterhouse and S. Woodward, *Oxford handbook of neuroscience nursing*. Oxford: Oxford University Press, 2009 [Online]. Available: <https://search.proquest.com/publication/2048709?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[57]

P. J. D. Andrews, G. Citerio, L. Longhi, K. Polderman, J. Sahuquillo, and P. Vajkoczy, 'NICEM consensus on neurological monitoring in acute neurological disease', *Intensive Care Medicine*, vol. 34, no. 8, pp. 1362–1370, Aug. 2008, doi: 10.1007/s00134-008-1103-y.

[58]

Bethel, JimMcInulty, Lorna, 'Subarachnoid haemorrhage: case study and literature review', *Emergency Nurse (through 2013)*, vol. 18, no. 1, pp. 22–6 [Online]. Available: <http://search.proquest.com/docview/218276156?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[59]

S. Chibbaro and L. Tacconi, 'Role of decompressive craniectomy in the management of severe head injury with refractory cerebral edema and intractable intracranial pressure. Our experience with 48 cases', *Surgical Neurology*, vol. 68, no. 6, pp. 632–638, Dec. 2007, doi: 10.1016/j.surneu.2006.12.046.

[60]

Dawes, EmmaLloyd, HilaryDurham, Lesley, 'Monitoring and recording patients' neurological observations', *Nursing Standard (through 2013)*, vol. 22, no. 10, pp. 40–5 [Online]. Available: http://search.proquest.com/docview/219825457?accountid=8630&rfr_id=info%3Axri%2Fsid%3Aprimo

[61]

Suadoni, Marco Tullio, 'Raised intracranial pressure: nursing observations and interventions', *Nursing Standard* (through 2013), vol. 23, no. 43, pp. 35-40 [Online].

Available:

<http://search.proquest.com/docview/219853790?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[62]

Teasdale, GrahamAllan, DouglasBrennan, PaulMcElhinney, EvelynMackinnon, Laura, 'Forty years on: updating the Glasgow Coma Scale', *Nursing Times*, vol. 110, no. 42, pp. 12-16

[Online]. Available:

http://search.proquest.com/docview/1620411352?accountid=8630&rfr_id=info%3Axri%2Fsid%3Aprimo

[63]

'Head injury: assessment and early management | Guidance and guidelines | NICE'

[Online]. Available: <https://www.nice.org.uk/Guidance/CG176>

[64]

Fullwood, Danielle, 'Portal hypertension and varices in patients with liver cirrhosis', *Nursing Standard* (through 2013), vol. 26, no. 48, pp. 52-7 [Online]. Available:

<http://search.proquest.com/docview/1033333511?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[65]

Fullwood, DanielleJones, FionaLau-Walker, Margaret, 'Care of patients following liver transplantation', *Nursing Standard* (through 2013), vol. 25, no. 49, pp. 50-6 [Online].

Available:

<http://search.proquest.com/docview/887898098/fulltextPDF/D4FFDE000600407FPQ/1?accountid=8630>

[66]

Harding, D (2014) *Deconstructing the OSCE. Strategies for OSCE success*. Oxford University Press. [Online]. Available:

<http://ebookcentral.proquest.com/lib/bham/detail.action?docID=1643971>

[67]

'Cottell, P (2007) A reflection on objective structured clinical examinations (OSCE's) Primary Health Care. 17 (10) 22 - 23'. [Online]. Available: <https://search.proquest.com/docview/217847089/fulltextPDF/8C438A31D027401APQ/1?acountid=8630>

[68]

'Delirium in adults | Guidance and guidelines | NICE' [Online]. Available: <https://www.nice.org.uk/guidance/qs63>

[69]

A. H. Nielsen and S. Angel, 'How diaries written for critically ill influence the relatives: a systematic review of the literature', *Nursing in Critical Care*, vol. 21, no. 2, pp. 88–96, Mar. 2016, doi: 10.1111/nicc.12158.

[70]

K. Obringer, C. Hilgenberg, and K. Booker, 'Needs of adult family members of intensive care unit patients', *Journal of Clinical Nursing*, vol. 21, no. 11–12, pp. 1651–1658, Jun. 2012, doi: 10.1111/j.1365-2702.2011.03989.x.

[71]

M. Morrissey and E. Collier, 'Literature review of post-traumatic stress disorder in the critical care population', *Journal of Clinical Nursing*, vol. 25, no. 11–12, pp. 1501–1514, Jun. 2016, doi: 10.1111/jocn.13138.

[72]

C. Jones, 'Recovery post ICU', *Intensive and Critical Care Nursing*, vol. 30, no. 5, pp. 239–245, Oct. 2014, doi: 10.1016/j.iccn.2014.06.001.

[73]

K. L. Cantlay, 'Long-term consequences of critical illness', *Surgery (Oxford)*, vol. 33, no. 4,

pp. 186–189, Apr. 2015, doi: 10.1016/j.mpsur.2015.01.007.

[74]

P. Black, J. R. P. Boore, and K. Parahoo, 'The effect of nurse-facilitated family participation in the psychological care of the critically ill patient', *Journal of Advanced Nursing*, vol. 67, no. 5, pp. 1091–1101, May 2011, doi: 10.1111/j.1365-2648.2010.05558.x.

[75]

R. Boot, 'Delirium: A review of the nurses role in the intensive care unit', *Intensive and Critical Care Nursing*, vol. 28, no. 3, pp. 185–189, Jun. 2012, doi: 10.1016/j.iccn.2011.11.004.

[76]

P. Buckley and T. Andrews, 'Intensive care nurses' knowledge of critical care family needs', *Intensive and Critical Care Nursing*, vol. 27, no. 5, pp. 263–272, Oct. 2011, doi: 10.1016/j.iccn.2011.07.001.

[77]

L. R. Cutler, M. Hayter, and T. Ryan, 'A critical review and synthesis of qualitative research on patient experiences of critical illness', *Intensive and Critical Care Nursing*, vol. 29, no. 3, pp. 147–157, Jun. 2013, doi: 10.1016/j.iccn.2012.12.001.

[78]

S. Olausson, B. Lindahl, and M. Ekebergh, 'A phenomenological study of experiences of being cared for in a critical care setting: The meanings of the patient room as a place of care', *Intensive and Critical Care Nursing*, vol. 29, no. 4, pp. 234–243, Aug. 2013, doi: 10.1016/j.iccn.2013.02.002.

[79]

F. Paul and J. Rattray, 'Short- and long-term impact of critical illness on relatives: literature review', *Journal of Advanced Nursing*, vol. 62, no. 3, pp. 276–292, May 2008, doi: 10.1111/j.1365-2648.2007.04568.x.

[80]

Phillips, Cheryl, 'Use of patient diaries in critical care', *Nursing Standard* (through 2013), vol. 26, no. 11, pp. 35–43 [Online]. Available: <http://search.proquest.com/docview/908546676?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[81]

Suman Prinjha, 'What patients think about ICU follow-up services: a qualitative study', *Critical Care*, vol. 13, no. 2, 2009, doi: doi: 10.1186/cc7769. [Online]. Available: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2689490/>

[82]

Dorothy M Wade, 'Investigating risk factors for psychological morbidity three months after intensive care: a prospective cohort study', *Critical Care*, vol. 16, no. 5, 2012, doi: doi: 10.1186/cc11677. [Online]. Available: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3682294/>

[83]

Zetterlund, PerPlos, KaetyBergbom, IngegerdRingdal, Mona, 'Memories from intensive care unit persist for several years--A longitudinal prospective multi-centre study', *Intensive & Critical Care Nursing*, vol. 28, no. 3, pp. 159–67 [Online]. Available: http://search.proquest.com/docview/1034911613?accountid=8630&rfr_id=info%3Axri%2Fsid%3Aprimo

[84]

John W Williams, Jr, *Noninvasive Positive-Pressure Ventilation (NPPV) for Acute Respiratory Failure*. 2012 [Online]. Available: <http://www.ncbi.nlm.nih.gov/books/NBK99179/>

[85]

Ray Higginson, 'Airway management in the hospital environment', *British Journal of Nursing*, Jan. 2016 [Online]. Available: <http://www.magonlinelibrary.com/doi/10.12968/bjon.2016.25.2.94>

[86]

Bethel, Jim, 'TENSION PNEUMOTHORAX', *Emergency Nurse* (through 2013), vol. 16, no. 4, pp. 26–9 [Online]. Available:
<http://search.proquest.com/docview/218288713?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[87]

Briggs, Deborah, 'Nursing care and management of patients with intrapleural drains', *Nursing Standard* (through 2013), vol. 24, no. 21, pp. 47–55 [Online]. Available:
<http://search.proquest.com/docview/219844302?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[88]

Credland, Nicola, 'Non-invasive ventilation in COPD exacerbations', *Nursing Times*, vol. 109, no. 36 [Online]. Available:
<http://search.proquest.com/docview/1436063261?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[89]

F. Foxall and H. Blackburn, *Arterial blood gas analysis: an easy learning guide*. Keswick [England]: M&K Update, 2008 [Online]. Available:
<https://ebookcentral.proquest.com/lib/bham/detail.action?docID=861970>

[90]

Woodrow, Philip, 'Arterial blood gas analysis', *Nursing Standard* (through 2013), vol. 18, no. 21, pp. 45–52 [Online]. Available:
<http://search.proquest.com/docview/219825398?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[91]

'British Thoracic Society (2017) Guideline for Oxygen use in adults in healthcare and emergency settings'. [Online]. Available:
<https://www.brit-thoracic.org.uk/standards-of-care/guidelines/bts-guideline-for-emergency-oxygen-use-in-adult-patients/>

[92]

'Booker, R (2010) Managing severe COPD with frequent exacerbations. Practice Nurse. 39 (4) 13 - 19'. [Online]. Available: <https://search.proquest.com/docview/230459651/fulltextPDF/B728A7C5D5F444F4PQ/1?accountid=8630>

[93]

'Bostock-Cox, B (2014) COPD; treatment and prevention of acute exacerbations. Practice Nurse. 44 (10) 20 - 24'. [Online]. Available: <http://web.a.ebscohost.com/ehost/detail/detail?vid=1&sid=e01dc6a3-418c-492c-a4fa-6f2583417228%40sessionmgr4008&bdata=JnNpdGU9ZWwhvc3QtbGl2ZQ%3d%3d#AN=99281218&db=buh>

[94]

A. Truhlář et al., 'European Resuscitation Council Guidelines for Resuscitation 2015', Resuscitation, vol. 95, pp. 148–201, Oct. 2015, doi: 10.1016/j.resuscitation.2015.07.017.

[95]

J. James, E. Cottle, and R. D. Hodge, 'Registered nurse and health care Chaplains experiences of providing the family support person role during family witnessed resuscitation', Intensive and Critical Care Nursing, vol. 27, no. 1, pp. 19–26, Feb. 2011, doi: 10.1016/j.iccn.2010.09.001.

[96]

R. Griffith, 'Mental capacity and mental health Acts part 1: advance decisions', British Journal of Nursing, vol. 23, no. 14, pp. 812–813, Jul. 2014, doi: 10.12968/bjon.2014.23.14.812.

[97]

Stevens, Emma, 'The Mental Capacity Act 2005: considerations for nursing practice', Nursing Standard (through 2013), vol. 28, no. 2, pp. 35–9 [Online]. Available: <http://search.proquest.com/docview/1441293844?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[98]

J. Tingle, 'The Mental Capacity Act 2005: riding the storm of criticism', *British Journal of Nursing*, vol. 23, no. 15, pp. 864–865, Aug. 2014, doi: 10.12968/bjon.2014.23.15.864.

[99]

K. McMahon-Parkes, P. Moule, J. Bengler, and J. W. Albarran, 'The views and preferences of resuscitated and non-resuscitated patients towards family-witnessed resuscitation: A qualitative study', *International Journal of Nursing Studies*, vol. 46, no. 2, pp. 220–229, Feb. 2009, doi: 10.1016/j.ijnurstu.2008.08.007.

[100]

Stevens, Emma, 'The Mental Capacity Act 2005: considerations for nursing practice', *Nursing Standard (through 2013)*, vol. 28, no. 2, pp. 35–9 [Online]. Available: <http://search.proquest.com/docview/1441293844?OpenUrlRefId=info:xri/sid:primo&acountid=8630>

[101]

M. Singer et al., 'The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3)', *JAMA*, vol. 315, no. 8, Feb. 2016, doi: 10.1001/jama.2016.0287.

[102]

'Sepsis: recognition, diagnosis and early management | Guidance and guidelines | NICE' [Online]. Available: <https://www.nice.org.uk/guidance/ng51>

[103]

Christa A Schorr, 'Severe sepsis and septic shock: Management and performance improvement', *Virulence*, vol. 5, no. 1, 2014, doi: 10.4161/viru.27409. [Online]. Available: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3916373/>

[104]

L. M. Aitken et al., 'Nursing considerations to complement the Surviving Sepsis Campaign guidelines', *Critical Care Medicine*, vol. 39, no. 7, pp. 1800–1818, Jul. 2011, doi: 10.1097/CCM.0b013e31821867cc.

[105]

O. Bayer et al., 'Effects of fluid resuscitation with synthetic colloids or crystalloids alone on shock reversal, fluid balance, and patient outcomes in patients with severe sepsis', *Critical Care Medicine*, vol. 40, no. 9, pp. 2543–2551, Sep. 2012, doi: 10.1097/CCM.0b013e318258fee7.

[106]

R. P. Dellinger et al., 'Surviving Sepsis Campaign', *Critical Care Medicine*, vol. 41, no. 2, pp. 580–637, Feb. 2013, doi: 10.1097/CCM.0b013e31827e83af.

[107]

M. Bateson and A. Patton, 'Sepsis: contemporary issues and implications for nursing', *British Journal of Nursing*, vol. 24, no. 17, pp. 864–866, Sep. 2015, doi: 10.12968/bjon.2015.24.17.864.

[108]

'Intravenous fluid therapy in adults in hospital | Guidance and guidelines | NICE' [Online]. Available: <https://www.nice.org.uk/guidance/cg174>

[109]

'Sepsis: recognition, diagnosis and early management | Guidance and guidelines | NICE' [Online]. Available: <https://www.nice.org.uk/guidance/ng51>

[110]

'NCEPOD - Sepsis: Just Say Sepsis! (2015)'. [Online]. Available: <http://www.ncepod.org.uk/2015sepsis.html>

[111]

McClelland, Heather Moxon, Alex, 'Early identification and treatment of sepsis', *Nursing Times*, vol. 110, no. 4, pp. 14–7 [Online]. Available: http://search.proquest.com/docview/1494150448?accountid=8630&rfr_id=info%3Axi%2Fsid%3Aprimo

[112]

Bethel, James, 'Anaphylaxis: diagnosis and treatment', *Nursing Standard* (through 2013), vol. 27, no. 41, pp. 49–56 [Online]. Available: <http://search.proquest.com/docview/1368907627?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[113]

Garretson, SharonMalberti, Shelly, 'Understanding hypovolaemic, cardiogenic and septic shock', *Nursing Standard* (through 2013), vol. 21, no. 50, pp. 46–55 [Online]. Available: <http://search.proquest.com/docview/219854006?OpenUrlRefId=info:xri/sid:primo&accountid=8630>

[114]

'Neurogenic Shock'. [Online]. Available: <http://benthamopen.com/contents/pdf/TOPEDJ/TOPEDJ-7-16.pdf>

[115]

Troels Thim, 'Initial assessment and treatment with the Airway, Breathing, Circulation, Disability, Exposure (ABCDE) approach', *International Journal of General Medicine*, vol. 5, 2012, doi: doi: 10.2147/IJGM.S28478. [Online]. Available: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3273374/>

[116]

E. Cole and E. Cole, *Trauma care: initial assessment and management in the emergency department*. Oxford: Wiley-Blackwell Pub, 2009 [Online]. Available: <https://ebookcentral.proquest.com/lib/bham/detail.action?docID=428199>

[117]

J. Brousil, D. Forward, and C. Moran, '(ii) Resuscitation of the adult trauma victim', *Orthopaedics and Trauma*, vol. 29, no. 6, pp. 350–358, Dec. 2015, doi: 10.1016/j.mporth.2015.09.005.

[118]

M. Parker and C. Magnusson, 'Assessment of trauma patients', *International Journal of Orthopaedic and Trauma Nursing*, vol. 21, pp. 21–30, May 2016, doi: 10.1016/j.ijotn.2015.10.002.

[119]

D. M. Taylor, J. M. Tebby, P. A. Foster, and P. J. Harwood, '(iii) Temporary skeletal stabilization in major trauma', *Orthopaedics and Trauma*, vol. 29, no. 6, pp. 359–373, Dec. 2015, doi: 10.1016/j.mporth.2015.10.001.

[120]

N. West and R. Dawes, 'Trauma resuscitation and the damage control approach', *Surgery (Oxford)*, vol. 33, no. 9, pp. 430–436, Sep. 2015, doi: 10.1016/j.mpsur.2015.07.007.

[121]

'Major trauma: service delivery | Guidance and guidelines | NICE' [Online]. Available: <https://www.nice.org.uk/guidance/ng40>

[122]

'Major trauma: assessment and initial management | Guidance and guidelines | NICE' [Online]. Available: <https://www.nice.org.uk/guidance/ng39>

[123]

'Blood products and their use in traumatic major haemorrhage' [Online]. Available: <http://journals.rcni.com/doi/pdfplus/10.7748/en.23.9.31.s26>